

|    | Type | L # | Hits | Search Text   | DBs  | Time Stamp          |
|----|------|-----|------|---|--|---------------------|
| 1  | BRS  | L1  | 1    | (swaminathan near2 sivaprasath).in.   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:02 |
| 2  | BRS  | L2  | 0    | ("71114066").URPN.  | USPAT  | 2007/04/18<br>17:03 |
| 3  | IS&R | L3  | 1    | ("6317798").PN.   | USPAT  | 2007/04/18<br>17:12 |
| 4  | BRS  | L4  | 4    | ("6317798").URPN.   | USPAT  | 2007/04/18<br>17:14 |
| 5  | BRS  | L5  | 0    | 4 and @pd>"20061107"  | USPAT  | 2007/04/18<br>17:16 |
| 6  | BRS  | L6  | 29   | ((console with redirection) and (configuring configure configured configuration) and (compatible compatibility compatibly incompatible incompatibility incompatibly) and (UART non-UART))   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:16 |
| 7  | BRS  | L7  | 0    | 5 and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:17 |
| 8  | BRS  | L8  | 4    | 6 and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:27 |
| 9  | BRS  | L9  | 0    | ((console with redirection) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART))                              | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:26 |
| 10 | BRS  | L10 | 0    | ((headless) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:27 |
| 11 | BRS  | L11 | 5    | ((headless) with (configuring configure configured configuration)) and ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (UART non-UART))               | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:27 |
| 12 | BRS  | L12 | 0    | 11 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:00 |
| 13 | BRS  | L13 | 3    | ((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabling disablement)) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:28 |

10/795,845

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 14 | BRS  | L14 | 1    | ((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection)) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:28 |
| 15 | BRS  | L15 | 19   | ((console with redirection) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))             | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:28 |
| 16 | BRS  | L16 | 0    | ((headless) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enable disable disabled disabling disablement))                                       | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:29 |
| 17 | BRS  | L17 | 11   | ((headless) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement))   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:29 |
| 18 | BRS  | L18 | 0    | ((console with redirection) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement))                                   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:29 |
| 19 | BRS  | L19 | 0    | ((headless) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:30 |
| 20 | BRS  | L20 | 0    | ((console with redirection)) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))                | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:30 |
| 21 | BRS  | L21 | 35   | ((headless) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))                                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:30 |
| 22 | BRS  | L22 | 0    | ((headless) with (configuring configure configured configuration)) and ((port channel) with (disconnect disconnected disconnecting disconnection))   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:30 |
| 23 | BRS  | L23 | 96   | ((headless) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))                             | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:30 |

|    | Type | L # | Hits  | Search Text  | DBs  | Time Stamp          |
|----|------|-----|-------|--|--|---------------------|
| 24 | BRS  | L24 | 5     | ((configuring configure configured configuration) and ((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (enable enabled enabling enablement disable disabled disabling disablement disconnect disconnected disconnecting disconnection) with (UART non-UART)) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:31 |
| 25 | BRS  | L25 | 0     | ((detect detecting detected detection) with (incompatible incompatibility incompatibly) with (UART non-UART))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:31 |
| 26 | BRS  | L26 | 18    | ((detect detecting detected detection) with (incompatible incompatibility incompatibly) same (disable disabled disabling disablement disconnect disconnection disconnected disconnecting))   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:31 |
| 27 | BRS  | L27 | 11    | (13 14 15 16 17 18 19 20 21 22 23 24 25 26) and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:32 |
| 28 | BRS  | L28 | 19    | ((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:55 |
| 29 | BRS  | L29 | 116   | ((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (port channel) ) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:56 |
| 30 | BRS  | L30 | 102   | ((compatible compatibility compatibly incompatible incompatible compatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:56 |
| 31 | IS&R | L31 | 4436  | (713/1,2,100).CCLS.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 32 | IS&R | L32 | 4579  | (710/8,10,15,16,18,19,104,106).CCLS.   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 33 | IS&R | L33 | 20254 | (709/201,203,217-222).CCLS.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |

|    | Type | L # | Hits  | Search Text  | DBs  | Time Stamp          |
|----|------|-----|-------|--|--|---------------------|
| 34 | IS&R | L34 | 1494  | (703/23-25,27).CCLS.   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 35 | IS&R | L35 | 4900  | (375/219-222).CCLS.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 36 | IS&R | L36 | 1830  | (455/557).CCLS.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 37 | IS&R | L37 | 976   | (370/278,282).CCLS.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 38 | BRS  | L38 | 36859 | L31 L32 L33 L34 L35 L36 L37  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>17:57 |
| 39 | BRS  | L39 | 14    | (29 30) and 38   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:00 |
| 40 | BRS  | L40 | 3     | 39 and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:04 |
| 41 | BRS  | L41 | 2     | 28 and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:08 |
| 42 | BRS  | L42 | 18    | 30 and (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:07 |
| 43 | BRS  | L43 | 2     | 42 and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:12 |
| 44 | BRS  | L44 | 1588  | ((compatible compatibility compatibly incompatible with incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:11 |
| 45 | BRS  | L45 | 170   | 38 and 44  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:18 |

|    | Type | L # | Hits | Search Text   | Dbs  | Time Stamp          |
|----|------|-----|------|---|--|---------------------|
| 46 | BRS  | L46 | 7    | 45 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:18 |
| 47 | BRS  | L47 | 3387 | (compatible compatibility compatibly incompatible<br>incompatibility incompatibly) with (port channel) with device  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:18 |
| 48 | BRS  | L48 | 259  | 38 and 47   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:18 |
| 49 | BRS  | L49 | 12   | 48 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:23 |
| 50 | BRS  | L50 | 5    | ("6560660").URPN.   | USPAT  | 2007/04/18<br>18:22 |
| 51 | BRS  | L51 | 1    | 50 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:24 |
| 52 | BRS  | L52 | 162  | ((compatible compatibility compatibly) with (incompatible<br>incompatibility incompatibly non-compatible non-compatibility<br>non-compatibly) with (port channel))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:24 |
| 53 | BRS  | L53 | 8    | 52 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:32 |
| 54 | BRS  | L54 | 7    | non-UART and ((console serial) near5 redirection) (remote<br>near5 (management administration communication)) (management<br>near5 console))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:28 |
| 55 | BRS  | L55 | 0    | 54 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:28 |
| 56 | BRS  | L56 | 0    | non-UART with (mouse keyboard loopback) with connection   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:29 |
| 57 | BRS  | L57 | 0    | (non-UART mouse keyboard loopback) with (connection<br>connecting connected connect) with UART with (error conflict<br>conflicting conflicted crash crashing crashed fail failure<br>failing failed incompatible incompatibly incompatibly non-<br>compatible non-compatibility non-compatibly) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:30 |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 58 | BRS  | L58 | 1    | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART same (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:30 |
| 59 | BRS  | L59 | 50   | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:30 |
| 60 | BRS  | L60 | 50   | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:31 |
| 61 | BRS  | L61 | 6    | L60 and (UART with (register buffer (line near2 status) DTR))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:31 |
| 62 | BRS  | L62 | 87   | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:31 |
| 63 | BRS  | L63 | 4    | (58 59 60 61 62) and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:34 |
| 64 | BRS  | L64 | 17   | non-UART   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:33 |
| 65 | BRS  | L65 | 1662 | (UART with (register buffer (line near2 status) DTR))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:33 |
| 66 | BRS  | L66 | 1339 | (UART with (register buffer (line near2 status) DTR)) and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply configured configuring configuration configure)) improper) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:34 |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 67 | BRS  | L67 | 63   | (64 65 66) and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:49 |
| 68 | BRS  | L68 | 2    | (UART with (register buffer (line near2 status) DTR)) with<br>(((console serial) near5 redirection) (remote near5<br>(management administration communication)) (management near5<br>console))   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:48 |
| 69 | BRS  | L69 | 38   | (modem with (register buffer (line near2 status) DTR)) with<br>(((console serial) near5 redirection) (remote near5<br>(management administration communication)) (management near5<br>console))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:48 |
| 70 | BRS  | L70 | 0    | (68 69) and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:50 |
| 71 | BRS  | L71 | 69   | ((incompatible incompatibility incompatibly non-compatible<br>non-compatibility non-compatibly non-compliant ("not" near5<br>(complied complying comply))) with (((console serial) near5<br>redirection) (remote near5 (management administration<br>communication)) (management near5 console)) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:49 |
| 72 | BRS  | L72 | 6    | 71 and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:55 |
| 73 | BRS  | L73 | 2    | (port near3 (sharing share shared)) with (incompatible<br>incompatibility incompatibly non-compatible non-compatibility<br>non-compatibly non-compliant ("not" near5 (complied<br>complying comply)))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:53 |
| 74 | BRS  | L74 | 4    | (port near3 (sharing share shared)) same (incompatible<br>incompatibility incompatibly non-compatible non-compatibility<br>non-compatibly non-compliant ("not" near5 (complied<br>complying comply)))  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:53 |
| 75 | BRS  | L75 | 35   | (UART with (register buffer (line near2 status) DTR)) same<br>(((console serial) near5 redirection) (remote near5<br>(management administration communication)) (management near5<br>console))   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:54 |

|    | Type | L # | Hits | Search Text   | DBs  | Time Stamp          |
|----|------|-----|------|---|--|---------------------|
| 76 | BRS  | L76 | 161  | ((incompatible incompatibility incompatibly non-compatible non-compatibility non-compliant ("not" near5 (complied complying comply))) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:54 |
| 77 | BRS  | L77 | 13   | (73 74 75 76) and @pd>"20061107"  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:00 |
| 78 | BRS  | L78 | 3387 | (compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:58 |
| 79 | BRS  | L79 | 1588 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring)                                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>18:59 |
| 80 | BRS  | L80 | 259  | (78 79) and 38  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:00 |
| 81 | BRS  | L81 | 12   | 80 and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:01 |
| 82 | BRS  | L82 | 102  | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:01 |
| 83 | BRS  | L83 | 19   | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)                               | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:01 |
| 84 | BRS  | L84 | 116  | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) ) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:01 |
| 85 | BRS  | L85 | 23   | (82 83 84) and @pd>"20061107"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB | 2007/04/18<br>19:02 |